

Digital version >



MADE IN SPAIN

# THE LASTEST SAGOLA TECHNOLOGY Smaller, lighter and more ergonomic!



Improved GRAVITY point. More ergonomic

New nozzles DV High paint flow

New REGULATOR Built in vernier for precise flow regulation

Reduced paint chamber makes easier cleaning

New VALVE "SOFT FLOW" Higher precision and smoothness

**Colour identifier** when there are multiple painters

The New 4600 Xtreme is the latest gun from SAGOLA. It is manufactured to Sagola's high standards and comes with a 3 year warranty.

VERSION	STANDARD CODE	DIGITAL CODE	APPLICATIONS
1.30 [DVR TITANIA]	10142202	10142222	Multiproduct, clearcoats, single stage. Basecoats
1.30XL [DVR TITANIA]	10142207		Clearcoats and single stage
1.30 [DVR CLEAR]	10142204		HS clearcoats. Top quality and high gloss finishes
1.30XL [DVR CLEAR]	10142206	10142226	Special HS clearcoats. High speed
1.20 [DVR AQUA]	10142201		Waterborne paints. Low viscosity. Minimum consumption
1.20XL [DVR AQUA]	10142215		Waterborne paints. Low viscosity. High humidity
1.30 [DVR AQUA]	10142203		Special waterborne paints
1.30XL [DVR AQUA]	10142208	10142228	Waterborne paints. High speed

### 4600 XTREME

### **Tecnical Details**

• Weight without cup: (Dig) 494 g. / (IR) 482 g.

• Dimensions Digital: 36.5 x 10.6 x 17 cm.

• Dimensions Internal Reg.: 33.5 x 10.6 x 17 cm.

• Air inlet coupling: 1/4"

• Minimum product transfer: 65% / 75%

•Maximum working inlet pressure: 31.9 psi

Air consumption:

• Fan size:

DVR CLEAR: 10.41 cfm DVR CLEAR: 10.41 cfm DVR AQUA: 9.88 cfm DVR CLEAR: 285-300 mm
DVR QUA: 295-300 mm

### ACCESSORIES






# its Air Flow Regulation

Manual Tightening. Ideal to work with high transfer spray guns HVLP and EPA. Pressure scale red-green as the regulation demands. Made

of aluminium. Very light.

CODE 56418020



Adaptors for 3M PPS disposable deposits for spray guns 4600 Xtreme, 4500 Xtreme and 4100 GTO.

CODE 55711607

Adaptors for 3M PPS disposable deposits for spray guns 4100, 3300 GTO, 3300 PRO and Mini Xtreme.

CODE 55711612



#### l ubricant grease

Same grease used by SAGOLA in their factory over the last half century. Effectiveness backed up by 60 years of manufacturing and assembling of spray guns and painting equipments. It helps to prevent a premature wear of moving parts, offering at the same time a smooth and precise performance during the gun life.





*SAGOLA*€

#### Cleaning kit

Complete cleaning set, including one brush for the outside cleaning, and rods of different sizes for all the inner paths of the spray gun. Supplied in a practical show case.

CODE

40000086





### New ergonomic design!

Its new forged body and more ergonomic design together with the highest quality and efficiency nozzles, make the 3300 GTO a more attractive and versatile spray gun. It offers product saving through lower paint consumption - delivering excellent value for money. High-end Aluminium aircaps. A great primer gun for HS / H-H primers.



\* The TECH version includes Air flow regulator RC1







VERSION	REGULATOR	CODE	APPLICATIONS
1.30 [GTQ TECH]	RC2*	10141551	HS and MS Clearcoats
1.40 [GTO TECH]	RC2*	10141552	HS/MS Clearcoats and single-stage paints
1.60 [GTO EPA]		10141563	Refinish primers/Express drying
1.80 [GTO EPA]		10141564	HS primers

### ACCESSORIES

We stock a complete range of accessories and replacement parts to suit both current and superseded models. This includes replacement aircaps, nozzle and needle kits and couplings. If you can't find what you are looking for, please call us for assistance.

### Nozzle and Needle kits

CODE	SPRAY GUN	VERSION
40044440	4000 V4	4.40
10011140	4600 Xtreme	1.40
10011139	4600 Xtreme	1.30XL
10011137	4600 Xtreme	1.20
10011132	4500 Xtreme	1.40
10011130	4500 Xtreme	1.20

CODE	SPRAY GUN	VERSION	
10011191	3300 GTO	1.30	
10011181	3300 GTO	1.40	
10011182	3300 GTO	1.60	
10011104	4100 Xtreme	1.40	
10011106	4100 Xtreme	1.60	

### SPOT REPAIR

Quick repair Part painting

# XIREME

### **MAXIMUM CONTROL**

Finishes with the highest quality and precision. Designed for shadings and retouches using Waterborne paints.

Newly designed Mini Xtreme spray gun. New air valve. New independent vernier for product regulation. New colour identifier. The perfect complement for the Sagola 4600 Xtreme.

VERSION CODE APPLICATIONS

1.20 [Mini AQUA] 10111803 Waterborne paints, solvents.

### **Tecnical Details**

- Weight without cup: 350 g.
- Dimensions with cup: 26 x 7 x 16 cm.
- Air inlet coupling: 1/4"
- Standard cup capacity: 125 ml.





SAGOLA 🏀

### COMPLEMENTS



### **DEMOSTRATION CASE**

Carrying case with capacity for three spray guns and two Sagola gravity deposits. Rigid and resistant.

### **MAGNETIC STAND SP1**

Magnetic stand for 1 (SP1) spray gun. Solvent-proof paint. Supports PPS type adapters. Maximum robustness. High holding power due to two powerful magnets.





CODE

40000245



### COMPRESSED AIR. BOOTHS





Maximum air quality. Ideal for waterborne and HS paints. Minimum loss of pressure.

MADE IN

### 5300

Maximize filtration levels in spray booths and painting lines with high quality air. Sinterised brass 8 micron pre-filtration, 0.01 micron coalescent filter and final filtration through a wide surface active charcoal filter. In addition to water and impurities, this process eliminates organic fumes and foul air.

CODE 10730305



### ACCESSORIES



CODE 56418719

## Active charcoal filter

CODE 56418070



### Coalescent filter

1 unit

CODE 56418071

#### Anti-static hose

Light, flexible and manageable. Anti-static EPDM rubber hose with exterior textile reinforcement. Twist free. Ideal for painting in the booth. High security crimped ends able to bear the high temperatures of the booth.

CODE 56414025 11 meters Ø 8x15 mm. F/F

### DRYING SYSTEMS

### 

### Drying gun. Venturi system. Ideal for waterborne products.

Includes venturi regulator to adapt drying technique to the coated surface, retouched area or entire part. Achieves far superior performance than any other waterborne paints dryer. High security crimped ends able to bear the high temperatures of the booth.

CODE 10340401

### VENTURI CLASSIC

Dryer for waterborne paints.

CODE 40000297



### VENTURI CLASSIC STAND

Handy and light. Multiple adaptability. Totally oriented to the typology of the part.

CODE 4

40000243

### INDUSTRIAL BODYSHOP



MADE IN

# 4100 x 12 // 2

Maximum speed and productivity.

Maximum robustness. Minimal maintenance.
Wide range of applications.

High performance and speed SAGOLA spray gun. High profitability in continuous painting. Maximum robustness. Minimal maintenance. Ideal for painting large surfaces. It offers high paint transfer without increasing air consumption or any special application requirements. Ideal for the application of high speed finishing. Anodized forged aluminum body.

VERSION	CODE	APPLICATIONS	
1.20 [XT01 B]	10152110	Clearcoats and primers	
1.40 [XT01 B]	10152111	Primers and fillers. Basecoats	



#### **Suction version**

Ideal for painting large areas, machinery and industrial vehicles. Continuous work sessions. Extra deposit capacity and application speed. Suction system of our 4100 Xtreme allows painting at right angles with the piece when painting bonnets, foofs, vehicles interiors, trucks chassis, trailers,...

CODE	VERSION
10120604	1.60 [XT01]
THE RESERVE OF THE PERSON NAMED IN	1.80 [XT01]





### **Pressure version**

High Performance. High application speed. Versatile – suitable for many application needs. Reduce mist and save paint.

CODE VERSION

10152206 1.40 [EPA]



**production**For finish and primers.

Medium viscosity products.

CODE

30920599

Full equipment: DM 1/300, 4100 Xtreme pressure 1.20 [XT01 B] and 5 m. air and product hoses.



### DM 1/400

### **High production**

It can be used with several spray guns at once. Easy to use and low air consumption.

CODE

30920499

Full equipment: DM 1/400, 4100 Xtreme pressure 1.20 [XT01 B] and 5 m. air and product hoses.





Australian Importer
Axalta Coating Systems
15-23 Melbourne Road
Riverstone NSW 2765
1800 292 582 / 1800 AXALTA

axalta-information@axaltacs.com

Dealer's stamp

We have made every effort to ensure that the information displayed in this brochure is as accurate as possible, however we accept no responsibility for incorrect information. This brochure should be treated as a guide only. © 2015. The Axalta Coating Systems  $^{\text{TM}}$  logo is a trademark of Axalta Coating Systems, LCC and its affiliates. M15042